



Metabo W9-115 4.5"/115mm **Angle Grinder**

Low fatigue as never before: compact angle grinder with smallest handle circumference in its class for perfect ergonomics Metabo S-automatic Torque Limiting Clutch: minimises kick-back to the lowest level when the disc jams unexpectedly - for maximum user

Type: W9-115

Disc size: 115mm/4.5"

Voltage: 110v Input: 900w

No Load Speed: 10,500/min

Spindle Size: M14

£59.00

Code: 673.580.401

Makita Slim Body 4.5"/115mm Angle Grinder



Tnakita

Code: 673.190.110

£45.00

Spindle Size: M14

Hitachi G12SS2 4.5"/115mm **AngleGrinder**



HITACHI

Code: 673.600.101

Makita

£49.00

Makita 5"/125mm **Angle Grinder**

Type: GA5021 Disc size: 125mm/5" Voltage: 110v **Input: 1050w**

No Load Speed: 12,000/min

Bore: 22mm Spindle Size: M14



£104.00

Code: 673.190.201



Hitachi 9"/230mm **Angle Grinder**



Bore: 22mm

Spindle Size: M14

HITACHI

£99.00

Code: 673.600.401

Metabo W2000 9"/230mm Angle Grinder



metabo

Spindle Size: M14

£109.00

Code: 673.580.101

FLOOR GRINDER **Eibenstock 125mm Floor Grinder**

The Eibenstock 125mm floor grinder is ideal for grinding and smoothing various surfaces and for the removal of screed seams, residual mud, plaster and other coatings and adhesives.

Features:

- Electronic soft start, constant speed, speed reduction in case of overload, temperature and over current cut-off.
- Speed regulation allows to work on finishing plaster, lime sand brick and wood with tungsten carbide grit discs.
- Foldable front edge of dust guard for grinding directly to the edge of the work area (no laborious reworking, saves time and costs).
- Brush rim high suction power for dust-free working by connecting an industrial vacuum cleaner to the 35mm nozzle.
- Parallel handle position ergonomic handles allow exact and balanced guiding for a better surface finish.



Type: EBS125.4 Disc size: 125mm/5" Voltage: 110v **Input: 1500w** Bore: 22mm Spindle Size: M14

EIBENSTOCK


£425.00

Code: 673.550.110



To place an order visit www.vidistribution.co.uk or telephone **01270 750520**

DEMOLITION DRILLS



Code: 669.190.105

Makita SUPERMAK SDS-PLUS Rotary Demolition Hammer Drill




Makita SDS PLUS Rotary Hammer Drill c/w Rotation Stop

Type: HR2630X7 Voltage: 110v **Input: 800w** Bit/Chuck: SDS Plus Capacity: Concrete 26mm Wood 32mm Steel 13mm Impact Energy: 2.4 J Impact Rate: 0-4,600 ipm No Load Speed: 0-1,200 rpm Makir Chiselling: 9.5m/sec² Hammer Drilling: 15.5m/sec² Weight: 2.8kg £169.00

Code: 669.190.110

Kango 900K Breaker K Steel 1600W 110V



Code: 669.490.106



CORDLESS COMBI DRILLS



Code: 671.600.101



Metabo Cordless Combi Drill

Type: SB18LTX Voltage: 18v Batteries: 2 x 5.2Ah Li-ion Capacity: Masonry:16mm Wood: 65mm

Max Torque: hard 110Nm/soft 55Nm No Load Speed: 0 - 500 / 0 - 1,700/min

Weight: 2.1kg

Steel: 13mm

£**265.00**

£159.00

Code: 671.580.105

DRILL DRIVERS

Einhell Drill Driver Single Speed



Makita 10.8V Brushless



Drill Driver

Tnakita

£165.00

Trakita

Code: 671.190.005



To place an order visit

www.vidistribution.co.uk or telephone 01270 750520

CORDED HAMMER DRILLS

Hitachi SDS Plus 3 Mode Hammer Drill 830W 110 Volt

The Hitachi DH26PX SDS Plus 3 Mode Hammer Drill has a high durability hammering mechanism, with approximately twice the durability of previous models. It has a low vibration design, with a double moulded side handle. The angle adjustment function allows for easy alignment of chisel blades, and it has a one-push action for easy bit mounting.

Type: DH26PX Voltage: 110v Input: 830W Bit/Chuch: SDS Plus

Capacity:

Wood: 32mm, Steel: 13mm, Concrete: 26mm, Core: 50mm Impact Energy: 3.2J Impact Rate: 0-4,300/min

No Load Speed: 0-1,100/min Weight: 2.8kg

Code: 670.660.105



£190.00





To place an order visit **www.vidistribution.co.uk** or telephone **01270 750520**



Metabo M Class Wet & Dry Vacuum

VACUUMS

Type: MPTASR25SCL Filter: Yes Voltage: 110v Input: 1400w Function: Wet & Dry Class: L/M

Cable Length: 8m Capacity: 25Ltr

metabo

Code: 677.580.001

Nilfisk Alto Aero Wet & Dry Vacuum 1250W 110 Volt

Type: 26-21PC
Filter: Yes
Voltage: 110v
Input: 1250w
Function: Wet & Dry
Cable Length: 7.5m
Sound Power Level: 64dB
Capacity: 25Ltr

@Nilfisk

Code: 677.620.001



Numatic Henry Vacuum

neiabo 🕖

Henry's cable and storage rewind system is a work of art, trouble free and spring free and it keeps everything neat and tidy.

Professional specification brings a 10m power cable and 9L drum capacity, keeping you cleaning for longer. When he's finished Henry packs away nicely with on-board wand and floor-tool storage.

Also available in 240v

Code: 677.630.001

Type: HVR200
Voltage: 110v
Input: 620w
Type: Dry
Class: A
Cable Length: 10m
Sound Power Level: 72dB

£280,00

Sound Power Level: 72dB Capacity: 9Ltr



£119.00

101DS 1.1kw Industrial Vacuum

Type: VAC-109 Voltage: 110v Input: 1.1kw Type: Dry

Sound Power Level: 72dB

Capacity: 20Ltr



202DS 2 x 1.1kw Industrial Vacuum

Type: VAC-039 Voltage: 110v Input: 2.3kw Type: Wet & Dry

Sound Power Level: 74dB

Capacity: 20Ltr



Code: 677.570.002

MIXING STATIONS AND MIXERS



www.vidistribution.co.uk



HEATERS & FANS



Infra Red Quartz Heater

Type: RG308 Amp: 16/32 Voltage: 110v Wattage: 1.6kw/3kw

£**215.00**

16 amp/1.6kw • Code: 656.000.101

32 amp/3kw • Code: 656.000.201



Rhino Fan Heater

Type: FH3 Voltage: 110v

Wattage: 2800w Element

£**90.00**

110V • Code: 656.660.105

240V • Code: 656.660.106



Portable Ventilation Fan

A high performance 300mm extractor fan using powerful sickle bladed motors housed in 1.5mm steel bodies with aluminium cased motors help to reduce weight. An excellent high volume extractor fan ideal for any application.

Type: VF300 Voltage: 110v Airflow: 3600m³/hr Diameter: 300mm

£**165.00**

Code: 681.000.210

PVC Spiral Wound Ducting Hose

Type: VF300D

Can be used in conjunction with the VF-300 Fan.

Code: 686.005.001

£**95.00**

SANDING TOOLS

Metabo 150mm Orbital Sander

The NEW SXE 450 TurboTec boasts many new features over its predecessor. It has more power, but at the same time is more compact and 500 grams lighter.

- Variable Speed.
- Duo oscillating circuit.
- TurboBoost switch.
- Oscillating circuit 2.8/6.2mm.
- Intec dust filter unit.

Type: MPTSXE450L Disc Size: 150mm Voltage: 110v **Input:** 350w

Orbits P Minute: 13,100pm

Weight: 2.2kgs

£175.00



Code: 668.580.105



Makita 125mm Orbital Sander

BO5030 models have been developed as the successor models of BO5010 and BO5012, featuring: High power motor for heavy duty applications. Same ergonomic soft grip as BO4555 series models.

- Constant speed under load
- Double Insulation
- Built-in dust collection system
- Hook and loop type abrasive paper can be used.

Type: BO5030 Disc Size: 125mm Voltage: 110v **Input:** 300w

Orbits P Minute: 12,000pm

Weight: 1.3kgs



Code: 668.190.105

Have you registered for an online account?

Benefits of Ordering Online...



 Live Chat with the VI Team

Any problems we're here to help.



 Multiple Company Logins

Limit who can order.



 Automatic Order Confirmation

Receive an automatic email with the details of vour order.



Non-Credit Account Customers

FREE NEXT DAY DELIVERY* **ON ALL WEB ORDERS OVER £100**

*Monday-Friday

Credit Account Customers

FREE NEXT DAY DELIVERY* **ON ALL WEB ORDERS**

REGARDLESS OF VALUE

*Monday-Friday

JIGSAWS

Hitachi Variable Speed Jigsaw

Type: CJ110MV
Voltage: 110v
Input: 720w
No Load Speed:
850-3,000/min
Stroke Length: 20mm
Cutting Capacity:
Wood 110mm
Steel 10mm

£175.00

Code: 675.600.210



Trakita O

£390.00

£89.00

Makita 18V Cordless Jigsaw

Type: DJV180RMJ Battery: 2 x 4a Li-ion

Voltage: 18v

No Load Speed: 0-2,600spm Stroke Length: 26mm Cutting Capacity: Wood 135mm Steel 10mm

Includes: Charger & Carry Bag



Code: 675.190.112

Einhell 18V Power Cordless Jigsaw

Type: EINTEJS18LIK

Battery: 1 x 2ah Power X-Change Li-Ion

Voltage: 18v

No Load Speed: 2,400/min Stroke Length: 25.4mm

Cutting Capacity: Wood: 80mm, Plastic: 12mm, Steel: 10mm

Includes: 1 x 30 Minute High Speed Li-Ion Charger



Code: 675.650.120



LASER MEASURES



Leica Disto X310 Laser Distance Meter 120mtr

Type: LGSX310

Unit Measurement: M, Feet, Inches

Accuracy: ±1mm

Max Range: 120 metres

£197.50

Code: 654.540.001



Leica Disto D110 Laser Distance Meter 60mtr

Type: LGSD110

Unit Measurement: M, Feet, Inches

Accuracy: ±1.5mm Range: 0.2 - 60metres Max Range: 60 metres Bluetooth Smart

Code: 654.540.002

£116.00







Leica Disto D2 Laser Distance Meter 100mtr

Type: LGSD2N

Unit Measurement: M, Feet, Inches

Accuracy: ±1.5mm Max Range: 100 metres Bluetooth Smart

Code: 654.540.003

£143.00





Stanley TLM 165 50mtr True Laser Measure

Type: INT177139

Unit Measurement: M, Feet, Inches

Accuracy: ±1.5mm Max Range: 50 metres

Code: 654.140.001

£145.00







Stabila LD220 Laser Distancer 30mtr

Type: STBLD220

Unit Measurement: M, Feet, Inches

Accuracy: ±3mm Range: 0.2 - 30metres Max Range: 30 metres

Code: 654.680.001

£**78.50**



To place an order visit

www.vidistribution.co.uk or telephone **01270 750520**



STORAGE



Armorgard OX1 Oxbox Site/Van Box

£154.00

- Robust 5-lever deadlocks.
- Unique internal anti-jemmy system.
- Robust construction using 2mm steel.
- Hydraulic gas arms to assist with the lid opening.
- Autolatch lid stay to secure the lid in the open position.
- Fire resistant.

Type: OX1 External Dimensions: 915 x 490 x 450mm Internal Dimensions: 830 x 425 x 440mm Weight: 27kg



Code: 688.640.001



Armorgard OX3 Oxbox Site/Van Box

- Robust 5-lever deadlocks.
- Unique internal anti-jemmy system.
- Robust construction using 2mm steel.
- Hydraulic gas arms to assist with the lid opening.
- Autolatch lid stay to secure the lid in the open position.
- Fire resistant.
- Fork lift skids with fixing holes to add castors and make it a mobile unit.
- Facilities to fix the unit in position.

Type: OX3

External Dimensions:

1200 x 665 x 630mm

£**309.00**

Code: 688.640.002

Armorgard

TB21 Tuffbank

Site/Van Box

Armorgard TB1 Tuffbank Site/Van Box

Type: TB1 External Dimensions: 980 x 540 x 475mm



Type: TB21
External Dimensions: 765 x 670 x 675mm



Code: 688.640.004

TRANSFORMERS

In order to ensure the highest levels of safety on site or in the workplace, our portable power tool transformers have a double wound isolating transformer design, thermal protected input and centre taped output.

Tested to the highest standard ensuring that they comply with reduced low voltage regulations and are made with a reinforced IP44 GRP portable case c/w carry handles.

5Kva Transformer Intermittent or Continuous

Type: P50/3 or P50TC

Duty: Intermittent or Continuous

Power: 5000VA

Input Voltage: 230vac 1ph Output Voltage: 110vac 1 ph **Socket:** 2 x 16A 3pin, 1 x 32A 3pin

Intermittent • Code: 679.000.615 £169.00

Continuous • Code: 679.000.616 £283.00



Defender 3.3KVA Power Pod Transformer

Type: E205100 Power: 3300VA Input Voltage: 240V Output Voltage: 110V Socket: 4 x 16a

Code: 679.690.620

£95.00

3.3Kva Transformer

Type: AP30/2 **Duty:** Intermittent Power: 3300VA

Input Voltage: 230vac 1ph Output Voltage: 110vac 1 ph

Socket: 2 x 16A 3pin

Code: 679.000.610

£50.00

SPLITTERS

Defender 110V 4 Way Classic 16A/32A Splitter

Type: E13108 Power: 110V

Outlets: 2 x 16A/2 x 32A



Defender Spider Ball 3 Way Splitter

Type: E13200 Power: 110V Outlets: 4 x 16A

Code: 679.690.720



£37.00

Defender 110V 4 Way Classic 16A Splitter

Type: E13104 Power: 110V Outlets: 4 x 16A

Code: 679.690.710

£29.00



Type: 4WJBC Power: 110V Outlets: 4 x 16A

Code: 679.000.710



Spider Pod Power Splitter 110V

Type: E13220 Power: 110V Outlets: 3 x 16A

Code: 679.690.730

£23.00

FLY LEADS

16 Amp To 13 Amp Fly Lead

Converter

Type: 341082 **Amp:** 16A to 13A Cable Length: 250mm Max Voltage: 240V


Code: 679.000.401



13 Amp To 16 Amp Fly Lead

Converter

Type: 818378 **Amp:** 13A to 16A Cable Length: 250mm Max Voltage: 250V



£5.50

16 Amp 110V Plug - Male Type: E884002 **Amp:** 16A Power: 110V No. of Line £2.00 Code: 679.000.520

32 Amp 110V Plug - Male

Type: E884250 **Amp:** 32A Power: 110V

Code: 679.000.525



£4.50

PLUGS & COUPLERS

16 Amp 110V Coupler -**Female**

Type: E884002 **Amp:** 16A Power: 110V

Code: 679.000.510

£3.00

32 Amp 110V Coupler -**Female**

Type: E884270 **Amp:** 32A Power: 110V

Code: 679.000.515



EXTENSION LEADS & CABLE REELS

25m 1.5mm Light Industrial Cable Reel

Type: E86450 Power: 110V Socket: 2

Cable Length: 25m



50m 2.5mm Heavy Duty Industrial Cable Reel

Type: E86510 Power: 110V Socket: 2

Cable Length: 50m

£81.00 Code: 679.000.221



Code: 679.000.205

15m 1.5mm Cassette Cable Reel

£33,00

Type: E86530 Power: 110V Socket: 2 Cable Length: 15m

Code: 679.000.250



Power: 110V Socket: 2 Cable Length: 20m

Code: 679.000.255

25m 240v Cable **Reel 13amp**

Type: FPPCR25M Power: 240V Socket: 2 Cable Length: 25m

Code: 679.000.242



14m 1.5mm 16A Extension Lead

Type: E85111 Power: 110V **Amp:** 16A

Cable Length: 14m

£12.00 Code: 679.000.110

25m 2.5mm 16A Extension Lead

Type: E85233 Power: 110V **Amp:** 16A

Cable Length: 25m

£46.00

£30.50

14m 2.5mm 32A **Extension Lead**

Type: E85235 Power: 110V **Amp:** 32A Cable Length: 14m

Code: 679.000.120

£**24.00**

£24.50

25m 2.5mm 32A **Extension Lead**

Code: 679.000.115

Type: E85249 Power: 110V **Amp:** 32A

Cable Length: 25m

Code: 679.000.125

£41.00



Type: E85262 Power: 110V **Amp:** 32A Cable Length: 25m

Code: 679.000.126

£65.00

10m 1.5mm 13A **Extension Lead**

Type: E85223 Power: 240V **Amp:** 13A Cable Length: 10m



14m 1.5mm 13A **Extension Lead**

Type: E85222 Power: 240V **Amp:** 13A Cable Length: 14m 25m 2.5mm 16A **Extension Lead**

Type: E85234 Power: 240V **Amp:** 16A Cable Length: 25m



25m 2.5mm 32A **Extension Lead**

Type: E85249.5 Power: 240V **Amp:** 32A Cable Length: 25m

Code: 679.000.150

£11.00

Code: 679.000.155

£16.00

Code: 679.000.160 £46.00 Code: 679.000.165 £49.00

Have you registered for an online account?



Live Chat with the VI Team Any problems -

we're here to help.



Multiple **Company Logins** Limit who can order.



 Automatic Order Confirmation

> Receive an automatic email with the details of your order.

Benefits of ordering online...



Non-Credit Account Customers **FREE NEXT DAY DELIVERY*** ON ALL WEB ORDERS OVER £100 Credit Account Customers

FREE NEXT DAY DELIVERY

ON ALL WEB ORDERS REGARDLESS OF VALUE

*Monday-Friday



To place an order visit www.vidistribution.co.uk or telephone 01270 750520

Unit 7 Springvale Business Centre Millbuck Way Sandbach Cheshire CW11 3HY

More products are available online • Images are for illustrative purposes only and products may differ slightly. Please see our website for our privacy policy and details on why you have received this marketing material.

Although every care has been taken to ensure accuracy, we cannot be held liable in the event of any errors. Prices quoted exclude VAT and VAT will be charged at the rate ruling. Prices can be subject to change. Products are subject to availability. Standard delivery charges apply, please see our website for more details. Terms & conditions apply.